

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification: A63F 3/06, A63F 3/08, A63F 9/24	A1	(11) International Publication Number: WO 00/00256 (43) International Publication Date: 06 January 2000 (06.01.2000)
(21) International Application Number: PCT/US99/13846 (22) International Filing Date: 18 June 1999 (18.06.1999) (30) Priority Data: 09/106,659 29 June 1998 (29.06.1998) US (60) Parent Application or Grant POWERHOUSE TECHNOLOGIES, INC. [/]; (). TRACY, Joseph, J. [/]; (). MEYER, Mark, Guthrie [/]; (). KIRCHER, William, B. ; ().	Published	
(54) Title: METHOD OF PLAYING A GROUP PARTICIPATION GAME (54) Titre: PROCEDE POUR JOUER A UN JEU COLLECTIFON GAME (57) Abstract <p>A group wagering game is provided in which all entrants win or lose simultaneously as a group. The method of playing the game includes forming a group (40) consisting of all entrants who have made a wager on the outcome of the game, and determining whether the group is a winner (32). The game can either be played as a stand alone game, or in combination with an individual participation game. When combined with another game, the method includes forming a group (40) of at least some of the entrants in the individual participation game, e.g. all winners, who have made a wager on the outcome of the group participation game. As such, a "bonus" round of play is provided which generates group interest and excitement in the gaming experience.</p> (57) Abrégé <p>L'invention concerne un jeu de pari collectif, dans lequel tous les participants gagnent ou perdent simultanément, en tant que groupe. Pour jouer à ce jeu, on forme tout d'abord un groupe (40) composé par les participants ayant parié sur l'issue de la partie, puis on détermine si ce groupe est gagnant (32). On peut jouer uniquement à ce jeu, ou jouer également à un jeu individuel. Si ce jeu est associé à un autre jeu, on forme alors un groupe (40) rassemblant au moins certains des participants du jeu individuel, par exemple tous les gagnants, qui ont parié sur l'issue du jeu collectif. On entame alors une nouvelle manche "bonus", destinée à stimuler l'intérêt et l'excitation du groupe pour le jeu.</p>		

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: A63F 3/06, 3/08, 9/24		A1	(11) International Publication Number: WO 00/00256
			(43) International Publication Date: 6 January 2000 (06.01.00)
(21) International Application Number: PCT/US99/13846		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 18 June 1999 (18.06.99)			
(30) Priority Data: 09/106,659 29 June 1998 (29.06.98) US			
(71) Applicant: POWERHOUSE TECHNOLOGIES, INC. [US/US]; 2311 South 7th Avenue, Bozeman, MT 59715 (US).			
(72) Inventors: TRACY, Joseph, J.; 3220 Nicholson Road, Westminster, MD 21157 (US). MEYER, Mark, Guthrie; 43 Glenbrook Drive, Phoenix, MD 21131 (US).			
(74) Agents: KIRCHER, William, B. et al.; Shook, Hardy & Bacon LLP. One Kansas City Place, 1200 Main Street, Kansas City, MO 64105-2118 (US).			

Published


With international search report.
Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: METHOD OF PLAYING A GROUP PARTICIPATION GAME

(57) Abstract

A group wagering game is provided in which all entrants win or lose simultaneously as a group. The method of playing the game includes forming a group (40) consisting of all entrants who have made a wager on the outcome of the game, and determining whether the group is a winner (32). The game can either be played as a stand alone game, or in combination with an individual participation game. When combined with another game, the method includes forming a group (40) of at least some of the entrants in the individual participation game, e.g. all winners, who have made a wager on the outcome of the group participation game. As such, a "bonus" round of play is provided which generates group interest and excitement in the gaming experience.

1	1	50	20	
2	5	5	5	\$5
3	10	5	20	
4	20	2	50	



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

Description

5

10

15

20

25

30

35

40

45

50

55

METHOD OF PLAYING A GROUP PARTICIPATION GAME**BACKGROUND OF THE INVENTION**

This invention relates generally to games of chance, and more particularly to a method of playing a group wagering game in which all entrants win or lose simultaneously as a group.

In known wagering games, each individual entrant places a wager on the outcome of an event such as a roll of dice, a selection of one or more randomly generated indicia such as cards or numbers, a horse or dog race, a Jai Alai game, a sporting event, or the like, and the wager is won or lost depending on the outcome of the event. Typically, entrants are able to place their wagers on one or more of several possible outcomes of an event such that the actual outcome creates both winners and losers among the group of entrants of a particular game.

Some wagering games are designed around a particular apparatus such that the entrants must seek out a gaming table or machine in order to play. Other games can be played anywhere people are gathered and wagering is available. Regardless of the game being played or the venue in which it is presented for wagering, there is a need for a gaming method that will attract new entrants to wagering games and hold the attention of existing entrants so that such games remain attractive relative to the many new games and diversions constantly being developed.

BRIEF SUMMARY OF THE INVENTION

It is an object of the present invention to provide a simple wagering game that can be used in combination with existing games to generate and sustain player interest by offering a socially exhilarating group win environment around the game.

It is another object of the present invention to provide a wagering game that can be used as a stand alone game in which all entrants win or lose simultaneously as a group rather than as individuals, again providing group excitement.

In accordance with these and other objects evident from the following description of a preferred embodiment of the invention, a method of playing a group participation wagering game is provided, wherein the game includes the principle steps of forming a group consisting of all entrants who have made a wager on the outcome of the game, determining whether the group as a whole is a winner, and indicating the outcome of the game. Preferably, each entrant is able to make a wager that differs in size

5 from the wagers being made by the other entrants, and the size of the winnings awarded to each entrant corresponds to the size of the entrant's wager. However, regardless of the amount of the wager placed by any entrant, all entrants in the group game win or lose together depending on the outcome of the game.

10 In accordance with a particular embodiment of the present invention, the step of determining whether the group is a winner includes randomly generating indicia in an array and comparing at least a portion of the array with one or more predetermined winning combinations of indicia. As such, the entire group can watch the display of such indicia one-by-one, anticipating a win or loss and celebrating or mourning collectively.

15 This social event adds to the enjoyment of the game and draws others to learn about the game and become entrants.

20 When used in combination with an individual participation game such as keno, bingo, slot machines, card games, dice games, sporting events and the like, the method of the present invention includes the steps of forming a group of at least some of the entrants in the first game, e.g. all winners, who made a wager on the outcome of the group participation game, determining whether the entire group is a winner of the group game, and indicating the outcome of the group game. Again, use of the group game increases the enjoyment of the gaming entrants and draws new players to the games.

BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING

25 The preferred embodiment of the present invention is described in detail below with reference to the attached drawing, wherein:

30 Fig. 1 is a schematic view of an apparatus for use in hosting a group wagering game in accordance with the preferred embodiment;

35 Fig. 2 is a flow chart of a method of playing a keno game to be used in combination with the group participation game of the preferred embodiment;

40 Fig. 3 is a flow chart of the method of the preferred group participation game; and

45 Fig. 4 is a plan view of a display indicating the outcome of a sample iteration of the group participation game.

DETAILED DESCRIPTION OF THE INVENTION

5 An apparatus capable of being used in hosting a group participation game
in accordance with the preferred embodiment of the present invention is illustrated in Fig.
10 1, and includes a central processing unit 10 for generating random numbers or other
5 indicia and transmitting the generated indicia to plural remote receivers 12, and a monitor
or display 14 associated with each receiver for displaying the indicia and providing an
15 indication of the outcome of the game. In addition, the receiver may form a part of a
processing unit, such as a conventional interactive compact disk player or the like, for
driving the display 14 so that entrants can observe the game in progress and witness the
20 outcome thereof from various remote sites such as restaurants, taverns and gathering
spots. Preferably, the central processing unit 10 includes software for generating the
random numbers or indicia and for encoding the generated indicia for transmission to the
various receivers, and the remote receivers associated with the displays include software
25 for decoding the transmission and for driving the displays.

15 It is understood that the apparatus shown in Fig. 1 is provided for
illustrative purposes only, and that the game of the present invention need not be hosted
using any particular apparatus but may instead be carried out by any suitable electronic,
30 mechanical or manual device as would be evident by a reading of the following
description. For example, it is possible to employ a number generator in the form of a
20 conventional blower-type apparatus adapted for use with ping pong balls, on which
indicia are printed, for randomly generating the indicia, and a manual or mechanical
35 display can be used at one or more locations to display the drawn indicia so that the
group of entrants can monitor the progress of the game and determine whether the group
is a winner or a loser. As such, the apparatus shown and described does not in any way
40 25 limit the scope of the present invention, but merely represents one mode for carrying out
the game.

In accordance with a first embodiment of the preferred game, the group
45 game is combined with an individual participation keno game. As shown in Fig. 2, the
keno game is played by allowing entrants at 16 to select the number of "spots" to be
30 played in a given game of keno, and at 18 to place a wager on the outcome of a random
drawing of a predetermined range of indicia or numbers out of a large field, e.g. a
50 drawing of 20 indicia out of a field of 80. If desired, an option may be provided whereby
the entrant can allow the host to select his indicia automatically. At 20, the player selects

5 the particular indicia or numbers to be played, and at 22 the central processing unit
randomly draws the range of indicia from the field, and these indicia are encoded and
10 transmitted to the various remote receivers where they are decoded and displayed, as at
step 24. The individual entrants are thus able to watch as the generated range of indicia
5 are displayed so that they can monitor their individual results and determine whether they
are a winner or loser in the game. If they are a winner, they turn in their game card,
15 which they filled out when placing their wager, and the indicia they selected are
compared with the range for matches at 25.

If at least some of the numbers selected by the entrant are among the
10 numbers in the range drawn from the field, the entrant wins a reward at 26. For example,
20 a the reward for selecting a single indicia that matches one of the 20 indicia drawn from
a field of 80 might be \$2, whereas the reward for selecting 10 indicia that match 10 of the
20 indicia drawn from the same field might be \$100,000. If all of the numbers selected
25 by the entrant are not among the range drawn from the field, a smaller percentage of
15 correct selections wins. Thus, if an entrant selected 10 indicia and 5 of them match
indicia drawn from the field, a prize of \$2 might be rewarded.

The keno game is combined with the group game of the present invention
30 by allowing an individual to enter the group participation game at the same time he or she
enters the keno game. For example, at 16, each entrant is given the opportunity not only
20 to enter the keno game, but also to enter the group participation game, and at 18, an entry
fee is paid for each of the games entered. Entrants are not required or allowed to make
35 any selection or prediction of a particular winning combination, and all entrants have the
identical odds of winning the game. If the group game is selected and a wager made,
then after the keno game is over, the group game is played. With reference to Fig. 3, at
40 25 28, the same unit 10 used to play the keno game can be used to randomly generate indicia
in a predetermined array that is transmitted to the various receivers and displayed at 30.
If a comparison of the generated array with a predetermined array or subset thereof, at
45 step 32, reveals a match, then the group is a winner and each entrant is awarded a
specified prize for each unit of his or her wager, as at 34. However, if no match is made,
30 the group is a loser, as shown in step 36, and all wagers revert to the operator of the
game.

50 An exemplary display of the outcome of a group participation game
played in accordance with the preferred embodiment is shown in Fig. 4, and includes an

- 5 -

array made up of a plurality of rows and columns in which the randomly generated indicia 38 are displayed. Along the left side of the array are numbers indicating the game or row numbers in the array, and along the right side of the array is a column in which the winnings, if any, are displayed.

The indicia 38 generated and displayed in the group game preferably represent multipliers of the wager made by each player, and the odds of a given multiplier correspond to the magnitude of the multiplier. For example, if the multipliers 1, 2, 5, 10, 20 and 50 represent the field from which the range of indicia generated are to be selected, the odds of generating a 1 are far greater than those of generating a 50. One method employed to accomplish this weighted drawing is to employ a large field of numbers, and to assign each multiplier to a predetermined range of numbers, wherein the range of numbers assigned to the larger multipliers is substantially smaller than the range assigned to smaller multipliers. For example, if a field of 1000 numbers is used to generate the 6 multipliers noted, a multiplier of 1 would be generated if any number between 1 and 500 is drawn. Likewise, a multiplier of 2 would be generated if any number between 501 and 750 is drawn, a multiplier of 5 would be generated if a number between 751 and 850 is drawn, a multiplier of 10 would be generated if a number of between 851 and 900 is drawn, etc.

The multipliers generated during the game are displayed at random locations within the array, as dictated by the central processing unit, and are displayed one-by-one within the array so that all entrants can monitor the progress of the game and anticipate whether the group will win or lose. In the illustrated embodiment, the group wins if the three multipliers in any given row of the array match one another, and the group loses if the multipliers in all of the rows of the array fail to include all matching multipliers. Thus, as shown in Fig. 4, by generating the multiplier 5 for all three columns of row 2 of the array, winnings of \$5 are awarded to all entrants who wagered \$1 on the group game. Because the indicia generated during the game is a multiplier of the amount wagered on the game, if an entrant wagered \$5 on the group game, his or her winnings would be \$25. Thus, although all of the entrants win or lose simultaneously during play of the game, individual entrants are awarded winnings based on the entry wagers made.

In accordance with another aspect of the preferred game, the indicia 38 generated during the game can be numbers, pictures, playing cards, dice or other indicia representative of actual dollar amounts to be paid to all entrants, or they can be symbols

5 or other indicia that must be arranged in a predetermined array or order to represent a
winner for the group. In any event, a characteristic feature of the group game is the
10 simultaneous observation of the game by all entrants gathered at each display so that a
group excitement of anticipation is generated that draws people to the game and keeps
5 their attention.

When played in combination with an individual participation game such
15 as keno, the group participation game resembles a bonus game in which all players, not
just the winners of the keno game, are rewarded by the drawing of a winning combination
of multipliers. As such, even if an individual loses his or her keno wager, they have the
20 same chance as all other entrants in the group game to win that game.

Although the "bonus" nature of the game does not exist when it is offered
independent of other games, it is possible to host the group game as a stand alone game.
In order to play the game in this manner, a group is first formed at 40 of all individuals
25 who enter the game by making a wager, a drawing is made at 28, and a determination is
15 then made at 32, as to whether the group is a winner or loser. Thus, all entrants are able
to simultaneously observe the game, and they win or lose as a group rather than as
individuals. As with the combination game, none of the entrants is required or allowed
30 to select indicia to play, but rather the entire group wins or loses with the same
combinations, providing an environment in which every player is rooting for the same
20 outcome as every other player.

Although the invention has been described with reference to the preferred
35 embodiment illustrated in the attached drawing figures, it is noted that substitutions may
be made and equivalents employed herein without departing from the scope of the
invention as recited in the claims. For example, the group game can be employed in
40 25 combination with games other than keno, such as bingo, a lottery, horse racing, dog
racing, Jai Alai, table games, and gaming machines.

When the group game is combined with a bingo game, a separate blower
45 is preferably provided along with predetermined quantities of bingo-type balls, wherein
the numbers on the balls represent multipliers as described herein. A three-by-three array
30 is displayed in which the randomly drawn balls are arranged, and the group of entrants
in the game wins if the multipliers in any row, column or diagonal of the array match a
50 predetermined winning combination. The group is formed of all entrants of the previous

- 7 -

bingo game who made a wager on the outcome of the group game at the same time that they wagered on the bingo game.

When used in combination with a lottery game, the group game is conducted in conjunction with the lottery drawing in the same manner as it is conducted in combination with the keno game, with the group being formed of all entrants in the lottery who also made a wager on the outcome of the group game.

At the time an individual makes a wager on a dog race, horse race, Jai Alai game or other sporting event, they can also make a wager on a group game that is to be played during an intermission or between events. The group game is hosted as described herein, with multipliers or other indicia being generated and compared with a winning combination of indicia for a match. If such a match occurs, the group wins as a whole, and the amount of the winnings to each player are dictated by the amount of his or her wager.

As gaming machines grow in popularity, and improvements to such machines are made, it is possible to provide a group gaming experience to individual players of such machines by combining the machine play with the group game of the present invention. An example of such a combination would include interrupting regular play of the machines at regular intervals in order to host a group game. Preferably, the group would include all machines that had maintained a predetermined level of play for the previous time interval such that this continued play would represent the wager required to enter the machine in the group game. Alternately, each player could be given the choice to either continue individual play or participate in a group game, the group for the group game would be formed of all those who indicated a desire to wager on the group game. As with the keno game, individuals could be allowed to make an increased wager, and the reward would be a multiplier that would be applied to this wager in establishing an individual's winnings.

The particular game with which the group game is played can vary, as can the apparatus used to host the game and display the indicia being generated by the host. Such variations do not depart from the invention as claimed.

Claims

5

10

15

20

25

30

35

40

45

50

55

IN THE CLAIMS

1. A method of playing a group participation wagering game comprising the steps of: forming a group consisting of all entrants who have made a wager on the outcome of the game; determining whether the group is a winner; and indicating the outcome of the game at the conclusion thereof.

2. A method as recited in claim 1, wherein the step of determining whether the group is a winner includes randomly generating indicia in an array and comparing at least a portion of the array with a predetermined combination of indicia that represents a winning combination.

3. A method as recited in claim 2, wherein the step of indicating the outcome of the game includes displaying each randomly generated indicium one-by-one in the array so that the group can anticipate the chances of winning.

4. A method as recited in claim 1, wherein each entrant is able to make a wager that differs in size from the wagers being made by the other entrants, and the size of the winnings awarded to each entrant corresponds to the size of the entrant's wager.

5. A method as recited in claim 2, wherein the step of determining whether the group is a winner includes comparing at least a portion of the array with a plurality of different predetermined combinations of indicia that each represent a winning combination.

6. A method of playing a group participation wagering game in combination with an individual participation game, the method comprising the steps of: forming a group of at least some of the entrants in the individual participation game who have made a wager on the outcome of the group participation game; determining whether the entire group is a winner of the group game; and indicating the outcome of the group game at the conclusion thereof.

- 9 -

7. A method as recited in claim 6, wherein the group forming step includes forming the group of all entrants in the individual participation wagering game who have made a wager on the outcome of the group game.

8. A method as recited in claim 6, wherein the group forming step includes forming the group of all winners of the individual participation wagering game who have made a wager on the outcome of the group game.

9. A method as recited in claim 6, wherein the step of determining whether the group is a winner includes randomly generating indicia in an array and comparing at least a portion of the array with a predetermined combination of indicia that represents a winning combination.

10. A method as recited in claim 9, wherein the step of indicating the outcome of the game includes displaying each randomly generated indicium one-by-one in the array so that the group can anticipate the chances of winning.

11. A method as recited in claim 6, wherein each entrant is able to make a wager on the group game that differs in size from the wagers being made by the other entrants, and the size of the winnings awarded to each entrant corresponds to the size of the entrant's wager.

12. A method as recited in claim 9, wherein the step of determining whether the group is a winner includes comparing at least a portion of the array with a plurality of different predetermined combinations of indicia that each represent a winning combination.

13. A method as recited in claim 6, wherein the individual participation game is keno.

14. A method as recited in claim 6, wherein the individual participation game is bingo.

- 10 -

5 15. A method as recited in claim 6, wherein the individual participation game is a game of chance.

10 16. A method as recited in claim 6, wherein the individual participation game is played on an electronic gaming machine, a plurality of the gaming
5 machines being linked to a central processing unit which performs the step of
15 determining whether the entire group is a winner of the group game.

 17. A method as recited in claim 16, wherein each gaming machine
20 performs the step of indicating the outcome of the group game at the conclusion thereof.

 18. A method as recited in claim 6, wherein the individual
10 participation game is a lottery.

25

30


35

40

45



50

55



1	1	50	20	38
2	5	5	5	\$5
3	10	5	20	38
4	20	2	50	38

Fig. 4.

Fig. 2.**Fig. 3.**

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US99/13846

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : A63F 3/06, 3/08 9/24
US CL : 463/16, 17, 18 19

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 463/16, 17, 18 19

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

WEST

search terms: group participation, keno, bingo, lottery

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X, P Y, P	US 5,830,063 A (BYRNE) 03 NOVEMBER 1998, lines 1-12 of abstract, column 1, lines 38-43 and 57-64, figure 2.	1, 4, 6-7, 11, 13 and 15-17 2-3, 5, 8-10, 12, 14
X	US 5,564,700 A (CELONA) 15 OCTOBER 1996, column 1, lines 17-43, column 3, lines 35-51, figure 3.	1-5
Y	US 5,112,050 A (KOZA et al) 12 MAY 1992, column 2, lines 47-60.	18
Y	US 5,393,057 A (MARNELL, II) 28 FEBRUARY 1995, figure 1, figure 4, col. 8, lines 23-45.	2-3, 5, 9-10, 12, 14

☒ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be of particular relevance	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier document published on or after the international filing date	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reasons (as specified)	"A" document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means	
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

15 NOVEMBER 1999

Date of mailing of the international search report

03 DEC 1999

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

CARMEN WHITE

Telephone No. (703) 308-1078

Sheila Vanev
Patent Specialist
Technology Center 3700

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US99/13846

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y, P	US 5,772,509 A (WEISS) 30 JUNE 1998, column 2, lines 60-62, column 6, lines 24-39.	8
A	US 5,770,533 A (FRANCHI) 23 JUNE 1998, figure 2.	1-18
A, P	US RE 35,864 E (WEINGARDT) 28 JULY 1998, figure 8.	1-18